WHAT IS CLAIMED IS:

A system for forecasting weather-based demand, comprising:
 a recombination processor;

wherein:

said recombination processor is configured to receive weather metric data; said recombination processor is configured to receive a weather factor relationship knowledgebase; and said recombination processor is configured to produce normalized weather factor metric data.

- 2. The system of claim 1, wherein said weather factor relationship knowledgebase is a weather-impact model.
- 3. The system of claim 2, wherein said weather-impact model comprises at least one of an empirical scoring matrix, a weather indices template, and a proxy model conditions template.
- 4. The system of claim 2, wherein said weather-impact model is derived from an analysis of normalized proxy sales history data.
- 5. The system of claim 4, wherein said normalized proxy sales history data are derived from at least one of old sales history data for a product from an entity, sales history data for said product from a second entity, sales history data for said product from an outside source, sales history data for a category that includes said product, and sales history data for a proxy product that has a similar weather-based demand relationship as said product.
- 6. The system of claim 1, further comprising a volatility scaling processor;

wherein:

said volatility scaling processor is configured to receive said normalized weather factor metric data;

said volatility scaling processor is configured to receive volatility scale factor data; and

said volatility scaling processor is configured to produce scaled weather factor metric data.

7. The system of claim 6, further comprising a deaggregation processor; wherein:

said deaggregation processor is configured to receive said scaled weather factor metric data;

said deaggregation processor is configured to receive deaggregation data; and

said deaggregation processor is configured to produce deaggregated weather factor metric data.

8. The system of claim 1, further comprising a deaggregation processor; wherein:

said deaggregation processor is configured to receive said normalized weather factor metric data;

said deaggregation processor is configured to receive deaggregation data; and

said deaggregation processor is configured to produce deaggregated weather factor metric data.

- 9. A method for forecasting weather-based demand, comprising the steps of:
 - (1) receiving weather metrics data;
 - (2) receiving a weather factor relationship knowledgebase; and
- (3) forecasting the weather-based demand by using the weather metrics data and the weather factor relationship knowledgebase.

- 10. The method of claim 9, wherein the weather factor relationship knowledgebase is a weather-impact model.
- 11. The method of claim 10, wherein the weather-impact model comprises at least one of an empirical scoring matrix, a weather indices template, and a proxy model conditions template.
- 12. The method of claim 10, wherein the weather-impact model is derived from an analysis of normalized proxy sales history data.
- 13. The method of claim 9, further comprising the step of: scaling the weather-based demand.
- 14. The method of claim 9, further comprising the step of: deaggregating the weather-based demand.
- 15. A computer program product for forecasting weather-based demand, said computer program product having computer program code means embodied in a computer useable medium, said computer program code means comprising:
 - a first program code means for receiving weather metrics data;
- a second program code means for receiving a weather factor relationship knowledgebase; and
- a third program code means for forecasting the weather-based demand by using the weather metrics data and the weather factor relationship knowledgebase.
- 16. The computer program product of claim 15, wherein the weather factor relationship knowledgebase is a weather-impact model.

- 17. The computer program product of claim 16, wherein the weatherimpact model comprises at least one of an empirical scoring matrix, a weather indices template, and a proxy model conditions template.
- 18. The computer program product of claim 16, wherein the weatherimpact model is derived from an analysis of normalized proxy sales history data.
- 19. The computer program product of claim 15, further comprising:a fourth program code means for scaling the weather-based demand.
- 20. The computer program product of claim 15, further comprising:

 a fourth program code means for deaggregating the weather-based demand.